



A WIDE RANGE OF CONFIGURATIONS ON WHEELS FOR SAFE LOGISTICS AND TRANSPORT APPLICATIONS





CLEVER-COMBI

TECHNICAL SPECIFICATIONS



1



The uprights are drilled to a 26 mm pitch for optimised shelf positioning and inclination.

- 2 Assembling the mesh sides is quick and easy, no screws required. This result has been achieved thanks to the special shaping of the slotted upright and the introduction of a clip, which allows for bolt-free assembling with 100% guaranteed sturdiness and reliability over time.



- 3 The assembling of the rear mesh panels is quick and easy thanks to the use of standardised mesh panels which are fixed to the slotted uprights with screws and clips. The combination of screws and clips allows for easy and solid fastening.



- 4 Thanks to the special shape of the upright and the use of a screw-type connection, coupling is precise, solid and reliable over time.



- 5 The trolleys are provided with a warning sticker on how to use the trolley and another sticker indicating the capacity.



7



The trolleys are supplied not assembled to save up to 50% on shipping costs.

6



**STANDARD
RUBBER
WHEELS**



**NON-MARKING
RUBBER
WHEELS**



**ELASTIC
RUBBER
WHEELS**



**POLYURETHANE
WHEELS**



**NYLON
WHEELS**

H 820 mm



● **ART. F CR 100M 01 04**

Containers not included

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED PRE-ASSEMBLED AS STANDARD

ACCESSORIES SEE PAGE 903



2 standard rubber fixed wheels Ø 100 mm
1 standard rubber swivel wheels with brake Ø 100 mm
1 standard rubber swivel wheels Ø 100 mm



Extra steel shelf
Dimensions mm 810x510x35 H

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.				
F CR 100M 00 08		200	100 mm	




ART.				
● F CR 100M 01 04		200	100 mm	



CLEVER SMALL

ACCESSORIES



EXTRA STEEL SHELF

ART.		dim. mm	kg
F CR 1004 00 04		810x510x35 H	100



SPRAY CAN HOLDER

ART.		dim. mm
F CR 1008 00 04		475x75x167 H

capacity 8 spray cans



EXAMPLE
OF HOOK
USE

STEEL PERFORATED PANEL

ART.		dim. mm
F CR 1009 00 04		475x18x665 H



Tool holder perforated panel
applicable to both sides of the
TROLLEY.



STEEL ROLL HOLDER

ART.	dim. mm	Ø mm
F CR 1006 00 01	245x88x150 H	130
F CR 1007 00 01	285x155x200 H	240

Paper roll not included



CLEVER LARGE 1024x615 mm

H 847 mm



● ART. F CR 110M 02 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



CYLINDER LOCK (KEY)
SUPPLIED STANDARD WITH CYLINDER LOCK



2 standard rubber fixed wheels Ø 100 mm
1 standard rubber swivel wheels with brake Ø 100 mm
1 standard rubber swivel wheels Ø 100 mm



SUPPLIED PRE-ASSEMBLED AS STANDARD
ACCESSORIES SEE PAGE 907



Extra steel shelf
Dimensions mm 830x610x35 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.				
F CR 110M 00 08		300	125 mm	



ART.				
F CR 110M 01 04		300	125 mm	




ART.					
● F CR 110M 02 04		300	125 mm	key	



CLEVER LARGE

ACCESSORIES



EXTRA STEEL SHELF


ART.		dim. mm	kg
F CR 1104 00 04		830x610x35 H	100



STEEL ROLL HOLDER

ART.	dim. mm	Ø mm
F CR 1006 00 01	245x88x150 H	130
F CR 1007 00 01	285x155x200 H	240

Paper roll not included



STEEL PERFORATED PANEL

ART.		dim. mm
F CR 1109 00 04		575x18x655 H



Tool holder perforated panel applicable to both sides of the TROLLEY.



SPRAY CAN HOLDER

ART.		dim. mm
F CR 1108 00 04		575x75x167 H

capacity 8 spray cans



EXAMPLE OF
PRACTIBOX
USE

PRACTIBOX HOLDER TROLLEY

ART.	dim. mm
F PG 0430 00 01	600x28x650 H
F PG 0410 00 01	600x28x300 H



H 915 mm



● **ART. F CE B105 03 04**

Trolley with 2 braked swivel castors and Ø125 mm standard rubber fixed wheels

METAL
COLOURS



BLUE
RAL 5012
.04

GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm
WHEELS SEE PAGE 914

KEY



TROLLEY
CAPACITY



Ø WHEELS



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.		dim. mm	kg	
F CE P105 04 04		1135x700x1000 h	500	200 mm
F CE P255 04 04		1420x825x1000 h	500	200 mm

TROLLEY WITHOUT WHEELS

F CE 0105 04 04	1135x700x758 h	-	-
F CE 0255 04 04	1420x825x758 h	-	-

SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		dim. mm	kg	
F CE P105 03 04		1135x700x1000 h	500	200 mm
F CE P255 03 04		1420x825x1000 h	500	200 mm

TROLLEY WITHOUT WHEELS

F CE 0105 03 04	1135x700x758 h	-	-
------------------------	----------------	---	---

SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		dim. mm	kg	
F CE P106 03 04		1135x700x1000 h	500	200 mm
F CE P256 03 04		1420x825x1000 h	500	200 mm

TROLLEY WITHOUT WHEELS

F CE 0106 03 04	1135x700x758 h	-	-
F CE 0256 03 04	1420x825x758 h	-	-

SUITABLE FOR WHEELS Ø160-200 mm
Wooden base



ART.		dim. mm	kg	
F CE P105 12 04		1200x700x1000 h	500	200 mm
F CE P255 12 04		1485x825x1000 h	500	200 mm

TROLLEY WITHOUT WHEELS

F CE 0105 12 04	1200x700x758 h	-	-
F CE 0255 12 04	1485x825x758 h	-	-

SUITABLE FOR WHEELS Ø160-200 mm
Steel base

COMBI CE



ART.		dim. mm	kg		
F CE P105 24 04		1095x715x1135 h	500	200 mm	

TROLLEY WITHOUT WHEELS

F CE 0105 24 04		1095x715x893 h	-	-	
------------------------	--	----------------	---	---	--

SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		dim. mm	kg		
F CE P105 23 04		1063x700x1080 h	500	200 mm	

TROLLEY WITHOUT WHEELS

F CE 0105 23 04		1063x700x838 h	-	-	
------------------------	--	----------------	---	---	--

SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		dim. mm	kg		
F CE P105 06 04		1200x700x1000 h	500	200 mm	
F CE P255 06 04		1485x825x1000 h	500	200 mm	

TROLLEY WITHOUT WHEELS

F CE 0105 06 04		1200x700x758 h	-	-	
F CE 0255 06 04		1485x825x758 h	-	-	

SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		dim. mm	kg		
F CE P105 07 04		1200x700x1000 h	500	200 mm	
F CE P255 07 04		1485x825x1000 h	500	200 mm	

TROLLEY WITHOUT WHEELS

F CE 0105 07 04		1200x700x758 h	-	-	
F CE 0255 07 04		1485x825x758 h	-	-	

SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		dim. mm	kg	
F CE P105 20 04		1095x700x1000 h	500	200 mm
F CE P255 20 04		1380x825x1000 h	500	200 mm

TROLLEY WITHOUT WHEELS

F CE 0105 20 04	1095x700x758 h	-	-
F CE 0255 20 04	1380x825x758 h	-	-

SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		dim. mm	kg	
F CE P106 20 04		1095x700x1000 h	500	200 mm
F CE P256 20 04		1380x825x1000 h	500	200 mm

TROLLEY WITHOUT WHEELS

F CE 0106 20 04	1095x700x758 h	-	-
F CE 0256 20 04	1380x825x758 h	-	-

SUITABLE FOR WHEELS Ø160-200 mm
Wooden base



ART.		kg		
F CE P105 21 04		500	200 mm	key

TROLLEY WITHOUT WHEELS

F CE 0105 21 04	-	-	key
------------------------	---	---	-----

Dim. mm 1095x700x758 h
SUITABLE FOR WHEELS Ø160-200 mm
Steel base



ART.		kg		
F CE P106 21 04		500	200 mm	key

TROLLEY WITHOUT WHEELS

F CE 0106 21 04	-	-	key
------------------------	---	---	-----

Dim. mm 1095x700x758 h
SUITABLE FOR WHEELS Ø160-200 mm
Wooden base

COMBI CE



SMOOTH RUBBER

ART.	dim. mm	for trolleys mm	
F CE 0595 00 07	1065x700x2 H	700	
F CE 0600 00 07	1345x825x2 H	825	



STEEL CONTAINMENT STRIPS

ART.		dim. mm	for trolleys mm	
F CE 0925 00 04		663x38x100 H	700	
F CE 0930 00 04		788x38x100 H	825	



DIN SIZE A4 CLIPBOARD

ART.	paperwork clipboard	
F CE 0980 00 99	horizontal, wood	
F CE 0985 00 99	vertical, wood	





STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DAC15 200	200	240	500	



STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG CAC15 200	200	240	500	



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BAC15 200	200	240	500	



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DPH25 160	160	200	500	



NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BPH25 160	160	200	500	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DCE15 160	160	200	500	



ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BCE15 160	160	200	500	



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DDD44 160	160	200	500	



POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BDD44 160	160	200	500	



NYLON SWIVEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DAD04 160	160	200	500	



NYLON FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BAD04 160	160	200	500	



H 1045 mm




● ART. F CF H005 03 04

H 1435 mm



● ART. F CL H005 04 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 150 mm
2 standard rubber swivel wheels with brake Ø 150 mm
WHEELS SEE PAGE 920



CONFIGURE YOUR TROLLEY FROM PAGE 919



Extra steel shelf
Dimensions mm 799x510x30 h



Extra wooden shelf
Dimensions mm 795x500x20 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.				
F CF H005 03 04		250	150 mm	



ART.				
F CF H005 08 04		250	150 mm	



ART.				
F CF H005 07 04		250	150 mm	



ART.				
F CF H006 08 04		250	150 mm	



ART.				
F CF H006 03 04		250	150 mm	



ART.				
F CF H006 04 04		250	150 mm	



2 standard rubber fixed wheels Ø 150 mm
2 standard rubber swivel wheels with brake Ø 150 mm





ART.			
F CL H006 06 04		250	150 mm



ART.			
F CL H006 04 04		250	150 mm



ART.			
F CL H006 10 04		250	150 mm



ART.			
● F CL H005 04 04		250	150 mm



ART.			
F CL H005 05 04		250	150 mm




ART.			
F CL H005 03 04		250	150 mm

removable mesh wall panel



2 standard rubber fixed wheels Ø 150 mm
2 standard rubber swivel wheels with brake Ø 150 mm



H = 817/ 1207

H1 = 43 mm

C = 685/1100

SIDE FRAME WITH HANDLE

ART.		dim. mm	ref.	
F CF 0605 00 04		521x70x870 H	1	
F CL 0605 00 04		521x105x1260 H	1	

SIDE FRAME

ART.		dim. mm	ref.	
F CF 0615 00 04		521x30x875 H	2	
F CL 0615 00 04		521x30x1260 H	2	

BASE WITH WOODEN PLATE

ART.		dim. mm	ref.	
F CE G006 00 04		865x525x56 H	3	

BASE WITH STEEL PLATE

ART.		dim. mm	ref.	
F CE G005 00 04		865x525x56 H	4	

EXTRA STEEL WORKTOP

ART.		dim. mm	kg	
F CF 0510 00 04		799x510x30 H	100	

ART. F CF 0590 00 07
SMOOTH RUBBER FOR SHELVESBlack colour
Abm. mm 799x510x2 H

BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CF 0900 00 99	795x10x60 H	steel worktop	
F CF 0901 00 99	795x10x60 H	wooden shelf	
F CF 0902 00 99	795x10x60 H	steel and wooden bases	

The article F CF 0902 00 99 may not be ordered separately from the base



EXTRA WOODEN SHELF

ART.		dim. mm	kg	
F CF 0560 00 04		795x500x20 H	100	



EXTRA WOODEN TRAY

ART.		dim. mm	kg	
F CF 0800 00 04		795x510x65 H	100	

Internal dimensions mm 755x470x45 H




MESHES FOR FRONTS

ART.	dim. mm	
F CF 0625 00 04	384x680 H	
F CL 0625 00 04	384x1095 H	

Mesh hole mm 50x100

Supplied as 1 piece with 4 spring clips



RETI PER FIANCATE

ART.	dim. mm	
F CF 0700 00 04 *	800x680 H	
F CL 0700 00 04 **	800x1095 H	

Mesh hole mm 50x100

*Supplied as 1 piece with 4 screw-on brackets

** Supplied as 2 pieces with 8 screw-on brackets



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg	
C RG DAC11 100	100	128	175	
C RG DAC12 125	125	155	250	
C RG DAC13 150	150	180	250	



STANDARD RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg	
C RG BAC11 100	100	128	175	
C RG BAC12 125	125	155	250	
C RG BAC13 150	150	180	250	



STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ømm	C mm	Trolley load capacity kg	
C RG CAC11 100	100	128	175	
C RG CAC12 125	125	155	250	
C RG CAC13 150	150	180	250	



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg	
C RG DPH22 125	125	155	250	



NON-MARKING RUBBER FIXED WHEEL

ART.	Ømm	Cmm	trolley load capacity kg	
C RG BPH22 125	125	155	250	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg	
C RG DCE15 125	125	155	250	



ELASTIC RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg	
C RG BCE15 125	125	155	250	



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg	
C RN DDD31 125	125	155	250	



POLYURETHANE FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg	
C RN BDD31 125	125	155	250	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg	
C RN DAD10 100	100	128	250	
C RN DAD11 125	125	155	250	



NYLON FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg	
C RN BAD10 100	100	128	250	
C RN BAD11 125	125	155	250	



H 1045 mm




● ART. F CF H055 08 04

H 1535 mm



● ART. F CL H056 07 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 150 mm
2 standard rubber swivel wheels with brake Ø 150 mm
WHEELS SEE PAGE 926



CONFIGURE YOUR TROLLEY FROM PAGE 925



Extra steel shelf
Dimensions mm 999x610x30 h



Extra wooden shelf
Dimensions mm 995x600x20 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.			
F CF H055 03 04		250	150 mm



ART.			
● F CF H055 08 04		250	150 mm



ART.			
F CF H055 07 04		250	150 mm



ART.			
F CF H056 12 04		250	150 mm



ART.			
F CF H056 03 04		250	150 mm



ART.			
F CF H056 06 04		250	150 mm



2 standard rubber fixed wheels Ø 150 mm
2 standard rubber swivel wheels with brake Ø 150 mm





ART.			
F CL H056 04 04		250	150 mm



ART.			
F CL H056 06 04		250	150 mm



ART.			
● F CL H056 07 04		250	150 mm



ART.			
F CL H055 04 04		250	150 mm



ART.			
F CL H055 05 04		250	150 mm




ART.			
F CL H055 03 04		250	150 mm

removable mesh wall panel



2 standard rubber fixed wheels Ø 150 mm
2 standard rubber swivel wheels with brake Ø 150 mm



H = 817 / 1307

H1 = 43 mm

C = 685 / 1200

EXTRA STEEL WORKTOP

ART.		dim. mm	kg	
F CF 0530 00 04		999x610x30 H	100	

ART. F CF 0600 00 07 SMOOTH RUBBER FOR SHELVES

Black colour
Dim. mm 999x610x2 H

BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CF 0905 00 99	995x10x60 H	steel worktop	
F CF 0906 00 99	995x10x60 H	wooden shelf	
F CF 0907 00 99	995x10x60 H	steel and wooden bases	

The article F CF 0907 00 99 may not be ordered separately from the base

EXTRA WOODEN SHELF

ART.		dim. mm	kg	
F CF 0580 00 04		995x600x20 H	100	

EXTRA WOODEN TRAY

ART.		dim. mm	kg	
F CF 0810 00 04		995x610x65 H	100	

Internal dimensions mm 960x580x45 H

SIDE FRAME WITH HANDLE

ART.		dim. mm	ref.	
F CF 0610 00 04		621x70x870 H	1	
F CL 0610 00 04		621x105x1360 H	1	

SIDE FRAME

ART.		dim. mm	ref.	
F CF 0620 00 04		621x30x875 H	2	
F CL 0620 00 04		621x30x1360 H	2	

BASE WITH WOODEN PLATE

ART.		dim. mm	ref.	
F CE G056 00 04		1065x625x56 H	3	

BASE WITH STEEL PLATE

ART.		dim. mm	ref.	
F CE G055 00 04		1065x625x56 H	4	



MESHES FOR FRONTS

ART.	dim. mm
F CF 0630 00 04	484x680 H
F CL 0630 00 04	484x1200 H

Mesh hole mm 50x100

Supplied as 1 piece with 4 spring clips

MESHES FOR SIDES

ART.	dim. mm
F CF 0705 00 04 *	1000x680 H
F CL 0705 00 04 **	1000x1200 H


Mesh hole mm 50x100

*Supplied as 1 piece with 4 screw-on brackets

** Supplied as 2 pieces with 8 screw-on brackets

FORK LIFT BASE

ART.	dim. mm
F CF 0965 00 04	238x615x70 H



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DAC11 100	100	128	175
C RG DAC12 125	125	155	250
C RG DAC13 150	150	180	250



STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG CAC11 100	100	128	175
C RG CAC12 125	125	155	250
C RG CAC13 150	150	180	250



STANDARD RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RG BAC11 100	100	128	175
C RG BAC12 125	125	155	250
C RG BAC13 150	150	180	250



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DPH22 125	125	155	250



NON-MARKING RUBBER FIXED WHEEL

ART.	Ømm	Cmm	Trolley load capacity kg
C RG BPH22 125	125	155	250



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DCE15 125	125	155	250



ELASTIC RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RG BCE15 125	125	155	250



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RN DDD31 125	125	155	250



POLYURETHANE FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RN BDD31 125	125	155	250



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RN DAD10 100	100	128	250
C RN DAD11 125	125	155	250



NYLON FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RN BAD10 100	100	128	250
C RN BAD11 125	125	155	250



H 1200 mm



• ART. F CI P255 04 04

H 1800 mm



• ART. F CK P256 06 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm
WHEELS SEE PAGE 932



CONFIGURE YOUR TROLLEY FROM PAGE 931



Extra wooden shelf
Dimensions mm1280x800x20 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



DEPTH 845 mm

ART.		kg		
● F CI P255 04 04		500	200 mm	
removable mesh wall panel				



DEPTH 845 mm

ART.		kg		
F CI P256 04 04		500	200 mm	
removable mesh wall panel				



ART.		kg		
F CI P256 06 04		500	200 mm	



ART.		kg		
F CI P256 05 04		500	200 mm	



ART.		kg		
F CI P255 03 04		500	200 mm	



ART.		kg		
F CI P255 06 04		500	200 mm	



2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm

COMBI





DEPTH 845 mm

ART.			
F CK P256 04 04		500	200 mm

removable mesh wall panel



DEPTH 845 mm

ART.			
F CK P255 04 04		500	200 mm

removable mesh wall panel



ART.			
F CK P256 03 04		500	200 mm



ART.			
F CK P256 06 04		500	200 mm




ART.			
F CK P255 05 04		500	200 mm



ART.			
F CK P255 07 04		500	200 mm



2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm



H = 915/ 1515
H1 = 43 mm
C = 850/1435

SIDE FRAME WITH HANDLE

ART.		dim. mm	ref.	
F CI 0605 00 04		821x105x970 H	1	
F CK 0605 00 04		821x105x1570 H	1	

SIDE FRAME

ART.		dim. mm	ref.	
F CI 0615 00 04		821x30x970 H	2	
F CK 0615 00 04		821x30x1570 H	2	

BASE WITH WOODEN PLATE

ART.		dim. mm	ref.	
F CE N256 00 04		1345x825x56 H	3	

BASE WITH STEEL PLATE

ART.		dim. mm	ref.	
F CE N255 00 04		1345x825x56 H	4	

EXTRA WOODEN SHELF

ART.		dim. mm	kg	
F CI 0560 00 04		1280x800x20 H	100	



BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CG 0911 00 99	1275x10x60 H	wooden shelf	
F CG 0912 00 99	1275x10x60 H	steel and wooden bases	

The article F CG 0912 00 99 may not be ordered separately from the base



FORK LIFT BASE

ART.		dim. mm	
F CI 0960 00 04		238x815x70 H	




MESHERS FOR FRONTS

ART.		dim. mm	
F CI 0625 00 04		684x810 H	
F CK 0625 00 04		684x1405 H	

Mesh hole mm 100x100

Supplied as 1 piece with 4 spring clips




MESHERS FOR SIDES

ART.		dim. mm	
F CI 0700 00 04 *		1280x810 H	
F CK 0700 00 04 **		1280x1405 H	

Mesh hole mm 100x100

*Supplied as 1 piece with 4 screw-on brackets

** Supplied as 2 pieces with 8 screw-on brackets



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DAC15 200	200	240	500	



STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG CAC15 200	200	240	500	



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BAC15 200	200	240	500	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DCE15 160	160	200	500	



ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BCE15 160	160	200	500	



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DDD44 160	160	200	500	



POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BDD44 160	160	200	500	



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DPH25 160	160	200	500	



NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BPH25 160	160	200	500	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DAD04 160	160	200	500	



NYLON FIXED WHEEL


ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BAD04 160	160	200	500	



H 1490 mm



● ART. F CG P155 05 04

METAL
COLOURSBLUE
RAL 5012
.04GREY
RAL 7035
.08

SUPPLIED DISASSEMBLED AS STANDARD

2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm
WHEELS SEE PAGE 936

CONFIGURE YOUR TROLLEY FROM PAGE 935

Extra steel shelf
Dimensions mm 1280x510x30 hExtra wooden shelf
Dimensions mm 1260x500x12 h

KEY

TROLLEY
CAPACITY

Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.			
F CG P156 10 04		500	200 mm



ART.			
● F CG P155 05 04		500	200 mm



ART.			
F CG P156 05 04		500	200 mm



ART.			
F CG P155 07 04		500	200 mm



ART.			
F CG P156 13 04		500	200 mm

CONTAINERS NOT INCLUDED

1 galvanised rear edge strip on base shelf

TROLLEY WITH CONTAINERS ART. **F CG P156 19 04**

20 yellow containers COMPAT mes. 4 art. FP CO C004B 00 51 05




ART.			
F CG P155 04 04		500	200 mm

removable mesh wall panel



2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm



H = 1205 mm

H1 = 43 mm

C = 1100 mm

SIDE FRAME WITH HANDLE

ART.		dim. mm	ref.	
F CL 0605 00 04		521x105x1260 H	1	

SIDE FRAME

ART.		dim. mm	ref.	
F CL 0615 00 04		521x30x1260 H	2	

BASE WITH WOODEN PLATE

ART.		dim. mm	ref.	
F CE N156 00 04		1345x525x56 H	3	

BASE WITH STEEL PLATE

ART.		dim. mm	ref.	
F CE N155 00 04		1345x525x56 H	4	



EXTRA STEEL WORKTOP

ART.		dim. mm	kg	
F CG 0510 00 04		1280x510x30 H	100	

ART. F CG 0590 00 07 SMOOTH RUBBER FOR SHELVES

Black colour
Abm. mm 1280x510x2 H

BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CG 0910 00 99	1275x10x60 H	steel worktop	
F CG 0912 00 99	1275x10x60 H	steel and wooden bases	

The article F CG 0912 00 99 may not be ordered separately from the base

EXTRA WOODEN SHELF

ART.		dim. mm	kg	
F CG 0560 00 04		1260x500x12 H	100	

FORK LIFT BASE

ART.		dim. mm	
F CF 0960 00 04		238x515x70 H	

MESHERS FOR FRONTS

ART.		dim. mm	
F CL 0625 00 04		384x1095 H	

mesh hole mm 50x100

Supplied as 1 piece with 4 spring clips



MESHERS FOR SIDES

ART.		dim. mm	
F CG 0700 00 04 *		1280x1095 H	

mesh hole mm 50x100

*Supplied as 2 pieces with 8 screw-on brackets



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DAC15 200	200	240	500	



STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG CAC15 200	200	240	500	



STANDARD RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg	
C RG BAC15 200	200	240	500	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DCE15 160	160	200	500	



ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BCE15 160	160	200	500	



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DDD44 160	160	200	500	



POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BDD44 160	160	200	500	



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DPH25 160	160	200	500	



NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BPH25 160	160	200	500	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DAD04 160	160	200	500	



NYLON FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BAD04 160	160	200	500	




H 1590 mm



● ART. F CH P205 05 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm
WHEELS SEE PAGE 940



CONFIGURE YOUR TROLLEY FROM PAGE 939



Extra steel shelf
Dimensions mm 1280x610x30 h



Extra wooden shelf
Dimensions mm 1260x600x12 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.			
F CH P205 07 04		500	200 mm



ART.			
F CH P206 11 04		500	200 mm



ART.			
F CH P206 09 04		500	200 mm



ART.			
● F CH P205 05 04		500	200 mm



ART.			
F CH P206 12 04		500	200 mm

CONTAINERS NOT INCLUDED

1 galvanised rear edge strip on base shelf

TROLLEY WITH CONTAINERS ART. F CH P206 14 04

12 grey containers ATHENA art. FP AT 6417A 00 51 01



ART.			
F CH P206 15 04		500	200 mm

CONTAINERS NOT INCLUDED


1 galvanised rear edge strip on base shelf

TROLLEY WITH CONTAINERS ART. F CH P206 16 04

9 grey containers ATHENA art. FP AT 6422A 00 51 01



2 standard rubber fixed wheels Ø 200 mm
2 standard rubber swivel wheels with brake Ø 200 mm



H = 1305 mm

H1 = 43 mm

C = 1200 mm

SIDE FRAME WITH HANDLE

ART.		dim. mm	ref.	
F CL 0610 00 04		621x105x1360 H	1	

SIDE FRAME

ART.		dim. mm	ref.	
F CL 0620 00 04		621x30x1360 H	2	

BASE WITH WOODEN PLATE

ART.		dim. mm	ref.	
F CE N206 00 04		1345x625x56 H	3	

BASE WITH STEEL PLATE

ART.		dim. mm	ref.	
F CE N205 00 04		1345x625x56 H	4	

EXTRA STEEL WORKTOP

ART.		dim. mm	kg	
F CH 0510 00 04		1280x610x30 H	100	

ART. F CH 0590 00 07 SMOOTH RUBBER FOR SHELVES

Black colour

Abm. mm 1280x610x2 H



BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CG 0910 00 99	1275x10x60 H	steel worktop	
F CG 0912 00 99	1275x10x60 H	steel and wooden bases	

The article F CG 0912 00 99 may not be ordered separately from the base



EXTRA WOODEN SHELF

ART.		dim. mm	kg	
F CH 0560 00 04		1260x600x12 H	100	



FORK LIFT BASE

ART.		dim. mm	
F CF 0965 00 04		238x615x70 H	



MESHES FOR FRONTS

ART.		dim. mm	
------	---	---------	--

F CL 0630 00 04 484x1200 H

Mesh hole mm 50x100

Supplied as 1 piece with 4 spring clips



MESHES FOR SIDES

ART.		dim. mm	
------	---	---------	--

F CH 0700 00 04 * 1280x1200 H

Mesh hole mm 50x100

*Supplied as 2 pieces with 8 screw-on brackets



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DAC15 200	200	240	500	



STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG CAC15 200	200	240	500	



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BAC15 200	200	240	500	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DCE15 160	160	200	500	



ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BCE15 160	160	200	500	



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DDD44 160	160	200	500	



POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BDD44 160	160	200	500	



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DPH25 160	160	200	500	



NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BPH25 160	160	200	500	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DAD04 160	160	200	500	



NYLON FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BAD04 160	160	200	500	





SMART/SLICK



TROLLEYS WITH CONTAINERS

SOLUTIONS SEE PAGE 1197

COMBI CR

765x560 mm

H 1030 mm



● ART. F CR 0031 02 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED PRE-ASSEMBLED AS STANDARD



WHEELS SEE PAGE 945

TROLLEYS F CR 0031
2 standard rubber fixed wheels Ø 125 mm
2 standard rubber swivel wheels with brake Ø 125 mm

TROLLEYS F CR 0021
2 standard rubber swivel wheels Ø 100 mm

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.		kg	
F CR 0031 03 04		300	125 mm

Trolley with:

1 red container COMPAT **mes. 5** art. FP CO Z005E 00 51 03

1 yellow container COMPAT **mes. 5** art. FP CO Z005E 00 51 05



ART.		kg	
F CR 0031 02 04		300	125 mm

Trolley with:

2 red containers COMPAT **mes. 4** art. FP CO C004B 00 51 03

2 yellow containers COMPAT **mes. 4** art. FP CO C004B 00 51 05



ART.		dim. mm	kg	
F CR 0031 00 04		765x560x1030 H	300	125 mm

TROLLEY WITHOUT WHEELS

F CR 0030 00 04	765x560x875 H	-	-
------------------------	---------------	---	---

SUITABLE FOR WHEELS Ø 100/125/150 mm

COMBI CR

STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DAC11 100	100	128	150	
C RG DAC12 125	125	155	300	
C RG DAC13 150	150	180	300	

STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG CAC11 100	100	128	150	
C RG CAC12 125	125	155	300	
C RG CAC13 150	150	180	300	

STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BAC11 100	100	128	150	
C RG BAC12 125	125	155	300	
C RG BAC13 150	150	180	300	

ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DCE15 125	125	155	300	


ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BCE15 125	125	155	300	

POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DDD31 125	125	155	300	

POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BDD31 125	125	155	300	

NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG DPH22 125	125	155	300	

NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RG BPH22 125	125	155	300	

NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN DAD10 100	100	128	300	
C RN DAD11 125	125	155	300	

NYLON FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg	
C RN BAD10 100	100	128	300	
C RN BAD11 125	125	155	300	





ART.			
F CR 0021 03 04		150	100 mm

Trolley with:

1 yellow container COMPAT **mes. 4** art. FP CO C004B 00 51 05

1 blue container COMPAT **mes. 4** art. FP CO C004B 00 51 04



ART.			
F CR 0021 01 04		150	100 mm

Trolley with:

2 red containers COMPAT **mes. 3** art. FP CO C003B 00 51 03

2 yellow containers COMPAT **mes. 3** art. FP CO C003B 00 51 05




ART.			
F CR 0021 00 04		150	100 mm



4 standard rubber swivel wheels
without brakes Ø 100 mm

MOBILE SAFETY LADDER



ART.	kg
F CR 0300 00 01	150

Mobile safety ladder
Colour grey RAL 7000



The mobile safety ladder is supplied standard with 4 rubber swivel wheels without brakes.



1. Press down on the first step.
 2. the mobile safety ladder lowers to its block position.
 3. Press the release pedal.
- .. the ladder can now be moved.



ART.	dim. mm
F CR 0800 00 01	200x545x180 H

Upper tray

